



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO |
|--|---|----------------------|---------------------|-----------------|
| 10/680,582 | 10/07/2003 | Manuel Munoz Saiz | 43068-0030 | 5281 |
| 20822 | 7590 10/28/2005 | | EXAMINER | |
| RUDEN, MCCLOSKY, SMITH, SCHUSTER & RUSSELL, P.A. | | | LAUX, JESSICA L | |
| P.O. BOX 1900 FORT LAUDERDALE, FL 33301 | | | ART UNIT | PAPER NUMBER |
| | 1011 110 110 110 110 110 110 110 110 11 | | | |

DATE MAILED: 10/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) | | | | |
|---|---|-----------------------------|--|--|--|--|
| | 10/680,582 | SAIZ, MANUEL MUNOZ | | | | |
| Office Action Summary | Examiner | Art Unit | | | | |
| | Laux L. Jessica | 3635 | | | | |
| - The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply | | | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). | | | | | | |
| Status | | | | | | |
| 1) Responsive to communication(s) filed on <u>07 Oc</u> | <u>ctober 2003</u> . | | | | | |
| , | This action is FINAL . 2b)⊠ This action is non-final. | | | | | |
| • | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is | | | | | |
| closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. | | | | | | |
| Disposition of Claims | | | | | | |
| 4) Claim(s) is/are pending in the application. | | | | | | |
| 4a) Of the above claim(s) is/are withdrawn from consideration. | | | | | | |
| 5)⊠ Claim(s) <u>1-11</u> is/are allowed. | | | | | | |
| 6) Claim(s) is/are rejected. | | | | | | |
| 7) Claim(s) is/are objected to. | | | | | | |
| 8) Claim(s) are subject to restriction and/or | election requirement. | | | | | |
| Application Papers | | | | | | |
| 9) The specification is objected to by the Examiner. | | | | | | |
| 10)⊠ The drawing(s) filed on <u>07 October 2003</u> is/are: a) accepted or b)⊠ objected to by the Examiner. | | | | | | |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). | | | | | | |
| Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). | | | | | | |
| 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. | | | | | | |
| Priority under 35 U.S.C. § 119 | | | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: | | | | | | |
| 1. ☑ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No | | | | | | |
| 3. Copies of the certified copies of the priority documents have been received in this National Stage | | | | | | |
| application from the International Bureau (PCT Rule 17.2(a)). | | | | | | |
| * See the attached detailed Office action for a list of the certified copies not received. | | | | | | |
| · | | | | | | |
| | | | | | | |
| Attachment(s) | | | | | | |
| 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) | | | | | | |
| 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) | | | | | | |
| 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date | 5) Notice of Informal P 6) Other: | atent Application (PTO-152) | | | | |
| S. Patent and Trademark Office | · — · · — · | <u> </u> | | | | |

Application/Control Number: 10/680,582

Art Unit: 3635

DETAILED ACTION

This application is in condition for allowance except for the following formal matters: Objections to the drawings and specification.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "gates" must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an

Application/Control Num

Art Unit: 3635

application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

The disclosure is objected to because of the following informalities: there is no detailed description of the invention.

Appropriate correction is required. Examiner notes that it appears to correct the title of the detailed description of the drawings to be the detailed description of the invention.

Allowable Subject Matter

Claims 1-11 are allowed.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Forrester (5620058) discloses an Emergency Evacuation System that uses friction to retard the acceleration of a falling body. He further discloses his system to be rigid and foldable and flexible; to be elliptical. LaGrone (4240520) claims a Hi Rise Escape Tunnels and Slide, which discloses a foam pad and a gate at the end of the chute.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Laux L. Jessica whose telephone number is 571-272-

Application/Control Number: 10/680,582 Page 4

Art Unit: 3635

8228. The examiner can normally be reached on Monday thru Friday, 8:30am to 4:00pm (est).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Friedman Carl can be reached on 571-272-6842. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JII 10-25-2005

Carl D. Friedman
Supervisory Patent Examine?
Group 3600